



Updated:July 2010Review date:July 2011



Table of contents

1	Introduction	.1	
2	Dehydration, heat exhaustion, heat stroke		
	Dehydration	1	
	Heat exhaustion	. 1	
	Heat stroke	1	
3	Recommended preventative strategies	2	
	Hydration	2	
	Timing of games and training	.2	
	Player rest and rotation	.2	
	Clothing	2	
	To summarise		
Attac	Attachment 1		
	Softball Australia Hot Weather Checklist	.4	
Reco	Recommended Guidelines		



1 Introduction

- 1.1 Softball is a summer sport and it is therefore inevitable some games will be scheduled for play during extreme heat conditions. All officials, coaches, managers and umpires owe a duty of care to players and officials and should take all reasonable steps to minimise foreseeable risks which may result in injury or damage.
- 1.2 High intensity exercise in a hot environment, with associated fluid loss and elevated body temperature, can lead to dehydration, heat exhaustion and heat stroke. Heat stroke is a potentially fatal condition and must be treated immediately by a medical professional.
- 1.3 To assist organisations and individuals when considering their duty of care responsibilities, Sports Medicine Australia – South Australia (**SMA SA**) has produced guidelines and a checklist for reference, which Softball Australia has used to develop these guidelines.
- 1.4 The guidelines are not binding. SMA SA and Softball Australia urge all parties to use common sense and to act responsibly when running an event.
- 1.5 Cancellation of games may be appropriate even in circumstances falling outside these guidelines.

2 Dehydration, heat exhaustion, heat stroke

Dehydration

2.1 Fluid loss occurs during exercise, mainly due to perspiration and respiration. It makes an athlete more susceptible to fatigue and muscle cramps. Inadequate fluid replacement before, during and after exercise will lead to excessive dehydration and may lead to heat exhaustion and heat stroke.

Heat exhaustion

- 2.2 Dehydration can lead to heat exhaustion, symptoms include:
 - Fatigue, high heart rate, light-headedness, dizziness, headache, loss of endurance and skills, confusion and nausea
 - Athletes will pass little urine, which will be highly concentrated
 - Cramps may be associated with dehydration.

Heat stroke

- 2.3 Severe dehydration may lead to heat stroke. Symptoms are similar to heat exhaustion with the addition of dry skin, confusion and collapse.
- 2.4 An athlete may suffer from heat stroke even though they have not been identified as suffering from heat exhaustion. Heat exhaustion and heat stroke can still occur even in the presence of good hydration.
- 2.5 Heat stroke is a potentially fatal condition and must be treated immediately by a medical professional.



3

Recommended preventative strategies

Hydration

- 3.1 Drink at least 500mls (2-3 glasses) before an activity.
- 3.2 Drink 200mls (1-2 glasses) every 15 minutes during activity, preferably water however diluted cordial or sports drinks may be appropriate.
- 3.3 Drink at least 500mls after an activity.

Timing of games and training

- 3.4 Where possible, avoid scheduling training and matches during the hottest part of the day (usually between 11am and 3pm, or noon and 4pm during daylight saving time).
- 3.5 Early morning or night games minimise the likelihood of unacceptable playing conditions.

Player rest and rotation

- 3.6 Consider using substitutions more often during play.
- 3.7 Ensure all dugouts are equipped with shade and fluids for appropriate rest, recovery and hydration when a team is batting.
- 3.8 Team managers and coaches should be especially vigilant and monitor players' physical condition in extreme temperatures.

Clothing

- 3.9 It is essential that everyone is made aware of the importance of:
 - 3.9.1 Wearing appropriate clothing during play
 - 3.9.2 Wearing hats or visors whilst on the field
 - 3.9.3 Appropriate application and re-application of SPF 30+ sunscreen
 - 3.9.4 The use of wet towels
 - 3.9.5 Sunglasses.

To summarise

- 3.10 In extreme heat conditions:
 - 3.10.1 The welfare of players and umpires is paramount
 - 3.10.2 On days of extreme heat coaches, players, umpires and officials should be aware of the possible risks and carefully monitor all participants. If any show signs of heat distress, swift and appropriate action must be taken
 - 3.10.3 Be aware that junior players are more susceptible to heat injury, especially those doubling up in senior competitions on the same day as their junior games
 - 3.10.4 Ensure there are sufficient shaded areas at grounds for both players and spectators
 - 3.10.5 Ensure there are qualified first aiders at the ground
 - 3.10.6 Consider cancelling or postponing scheduled games.



3.10.7 Associations and clubs should reserve the right to cancel all play when extreme temperatures are forecast. Local rules should include a time for notifying participants of the cancellation of the day's games.

The Hot Weather Guidelines Checklist (Attachment 1) will assist in decision-making.

For further information:	Softball Australia			
	Level 2, 21 Burwood Road			
	Hawt	Hawthorn Vic 3122		
	P:	03 9818 6144		
	F:	03 9818 6199		
	E:	info@softball.org.au		
	Webs	site: www.softball.org.au		

The information in this guideline is of a general nature only and is not intended to be relied upon as, nor as a substitute for, specific professional advice. No responsibility for the loss occasioned to any person acting on or refraining from action as a result of any material in this guideline can be accepted.



Attachment 1

Softball Australia Hot Weather Checklist

This checklist will help you determine whether to commence or continue play in hot weather conditions. Allocate a score for each item – if in doubt err on the side of caution and apply a higher score. Some categories may not be applicable to your circumstance, in which case use your best judgment.

1	Wet bulb globe temperature ¹ (or equivalent)		7	Time between available drinks	
	<18 degrees 18 to 22 degrees 23 to 28 degrees Above 28 degrees	12 10 14 20		Less than 15 minutes 15 to 25 minutes 25 to 35 minutes 35 to 45 minutes 45 minutes plus	2 4 6 8 10
2	Overall duration of event		8	Time of the event	
	Less than 30 minutes 30 to 60 minutes 60 minutes to 2 hours Greater than 2 hours	2 4 6 8		Before 9am After dark 9am till 11am 3pm till sunset 11am to 3pm	2 2 5 5 10
3	Individual intensity during the event		9	Surface type	
	Easy pace throughout Moderate pace, breaks in intensity Moderate pace throughout Sustained effort with some breaks Sustained effort throughout	2 4 6 8 10		Water Grass Boards Sand Synthetic surface Asphalt	1 2 4 6 8
4	Acclimatisation of participants		10	Venue	
	Used to hot weather conditions Used to warm weather conditions Used to cool/cold conditions	2 5 8		Indoor air conditioning Indoor no air conditioning Outdoor	1 4 8
5	Athletic ability of individuals		11	Other predisposed medical conditions of participants	
	Elite fitness levels Good fitness level Moderate fitness levels Low fitness levels	2 6 6 8		No Yes	0 6
6	Age of participants		12	Other factors to consider	
	18 to 30 13 to 17 30 to 40 Over 40 Under 13	2 5 5 8 8		Shade available during breaks Water freely available at venue Sports trainer/first aid person on site Body fat of individual participants	Yes/No Yes/No Yes/No High/Low

¹ To obtain the Wet Bulb Globe Temperature or equivalent, required to complete the checklist, please refer to your State or Territory Bureau of Meteorology.



Recommended Guidelines

Point Score

Above 75	Softball Australia and SMA SA recommend you take appropriate preventative strategies to ensure the welfare of players, coaches and officials					
66 to 74	Softball Australia and SMA SA recommend you take appropriate preventative strategies to ensure the welfare of players, coaches and officials if:					
	The Wet Bulb Globe Temp (or equivalent) is above 28 or					
	The age of the participants gets a point value of 8					
	• If this is not the case and the event goes on then:					
	Extra drink breaks should be allowed					
	Shade should be provided					
	 Promotion of fluid replacement should be actively encouraged by coaches, umpires and PA announcements 					
56 to 65	Softball Australia and SMA SA recommend play may go ahead BUT					
	Extra drink breaks should be allowed					
	Shade should be provided					
	 Promotion of fluid replacement should be actively encouraged by coaches, umpires and PA announcements 					

55 and below Softball Australia and SMA SA recommend play with usual fluid replacement measures in place

Softball Australia and SMA SA reminds sporting groups and individuals that:

- Cancellation of events or withdrawal from participation may be appropriate even in circumstances falling outside of these recommendations.
- Individuals can use the guidelines and point scores to ascertain whether they should be involved in a particular event.